

Advanced Pediatric Otolaryngology Airway topics:

Neonatal:

Karkoutli AA, Brumund MR, Evans AK. Bronchopulmonary dysplasia requiring tracheostomy: A review of management and outcomes. *Int J Pediatr Otorhinolaryngol*. 2020 Dec;139:110449. doi: 10.1016/j.ijporl.2020.110449. Epub 2020 Oct 22. PMID: 33157458.

Laryngomalacia

Thompson DM. Abnormal sensorimotor integrative function of the larynx in congenital laryngomalacia: a new theory of etiology. *Laryngoscope*. 2007 Jun;117(6 Pt 2 Suppl 114):1-33.

Richter GT, Wootten CT, Rutter MJ, Thompson DM. Impact of supraglottoplasty on aspiration in severe laryngomalacia. *Ann Otol Rhinol Laryngol* 2009;118(4):259-266.

Preciado D, Zalzal G. A systematic review of supraglottoplasty outcomes. *Arch Otolaryngol Head Neck Surg* 2012;138(8):718-721.

Durvasula VSPB, Lawson BR, Bower CM, Richter GT. Supraglottoplasty outcomes in neurologically affected and syndromic children. *JAMA Otolaryngol Head Neck Surg* 2014;140(8):704-711.

Simons JP, Greenberg LL, Mehta DK, Fabio A, Maguire RC, Mandell DL. Laryngomalacia and swallowing function in children. *Laryngoscope* 2016;126(2):478-484.

Carter J, Rahbar R, Brigger M, Chan K, Cheng A, Daniel SJ, et al. International Pediatric ORL Group (IPOG) laryngomalacia consensus recommendations. *Int J Pediatr Otorhinolaryngol* 2016;86:256-261.

Subglottic Stenosis

Myer III CM, O'Conner, DM, Cotton RT. Proposed grading system for subglottic stenosis based upon endotracheal tube sizes. *Ann Otol Rhinol Laryngol* 1994;103:319-323:

Bogdasian RS Olson NR. Posterior Glottic stenosis. *Otolaryngology Head Neck Surg*. 1980;88:765-772.

Anterior Cricoid Split

Silver FM, Myer III CM, Cotton RT. Anterior cricoid split update 1991. *Am J Otolaryngol Head Neck Med Surg* 1991;12(6):343-346.

Forte V, B. Chang M, Papsin BC. Thyroid ala cartilage reconstruction in neonatal subglottic stenosis as a replacement for the anterior cricoid split. *Int J Pediatr Otorhinolaryngol* 2001;59(3):181-186.

White DR, Bravo M, Vijayasekaran S, Rutter MJ, Cotton RT, Elluru RG. Laryngotracheoplasty as an alternative to tracheotomy in infants younger than 6 months. *Arch Otolaryngol Head Neck Surg*. 2009 May;135(5):445-7

Horn DL, Maguire RC, Simons JP, Mehta DK. Endoscopic anterior cricoid split with balloon dilation in infants with failed extubation. *Laryngoscope* 2012;122(1):216-219.

LTR

Hartnick CJ, Hartley BE, Lacey PD et al. Surgery for pediatric subglottic stenosis: Disease specific outcomes. *Ann Otol Rhinol Laryngol* 2001;110:1109-1113.

Wyatt ME, Hartley BEJ. Laryngotracheal reconstruction in congenital laryngeal webs and atresias. *Otolaryngol Head Neck Surg* 2005;132(2):232-238.

McCarty Statham M, De Alarcon A, Germann JN, Tabangin ME, Cohen AP, Rutter MJ. Screening and treatment of methicillin-resistant *Staphylococcus aureus* in children undergoing open airway surgery. *Arch Otolaryngol Head Neck Surg* 2012;138(2):153-157.

Smith DF, de Alarcon A, Jefferson ND, Tabangin ME, Rutter MJ, Cotton RT, et al. Short- versus Long-term Stenting in Children with Subglottic Stenosis Undergoing Laryngotracheal Reconstruction. *Otolaryngol Head Neck Surg* 2018;158(2):375-380.

CTR

Monnier P, Lang F, Savary M: Treatment of subglottic stenosis in children by cricotracheal resection for pediatric subglottic stenosis: A single institution's experience in 60 cases. *Eur Arch Otorhinolaryngol*. 2003;260:295-297.

White DR, Cotton RT, Bean JA, Rutter MJ. Pediatric cricotracheal resection: surgical outcomes and risk factor analysis. *Arch Otolaryngol Head Neck Surg*. 2005 Oct;131(10):896-9. doi: 10.1001/archotol.131.10.896. PMID: 16230593.

Endoscopic Airway Surgery

Dahl JP, Purcell PL, Parikh SR, Inglis AF. Endoscopic posterior cricoid split with costal cartilage graft: A fifteen-year experience. *Laryngoscope* 2017;127(1):252-257.

Whigham AS, Howell R, Choi S, Peña M, Zalzal G, Preciado DA. Outcomes of balloon dilation in pediatric subglottic stenosis. *Ann Otol Rhinol Laryngol* 2012;121(7):442-448.

Hemangioma

Rahbar R, Nicollas R, Roger G et al. The biology and management of subglottic hemangioma. Past, present and future. *Laryngoscope*. 2004;114:1880-1891.

Schwartz T, Faria J, Pawar S, Siegel D, Chun RH. Efficacy and rebound rates in propranolol-treated subglottic hemangioma: A literature review. *Laryngoscope*. 2017 Nov;127(11):2665-2672. doi: 10.1002/lary.26818. Epub 2017 Aug 23. PMID: 28833230.

Recurrent Respiratory Papillomatosis

Lawlor C, Balakrishnan K, Bottero S, Boudewyns A, Campisi P, Carter J, Cheng A, Cocciaglia A, DeAlarcon A, Derkay C, Fayoux P, Hart C, Hartnick C, LeBoulanger N, Moreddu E, Muntz H, Nicollas R, Peer S, Pransky S, Rahbar R, Russell J, Rutter M, Seedat R, Sidell D, Smith R, Soma M, Strychowsky J, Thompson D, Triglia JM, Trozzi M, Wyatt M, Zalzal G, Zur KB, Nuss R. International Pediatric Otolaryngology Group (IPOG): Juvenile-onset recurrent respiratory papillomatosis consensus recommendations. *Int J Pediatr Otorhinolaryngol*. 2020 Jan;128:109697. doi: 10.1016/j.ijporl.2019.109697. Epub 2019 Sep 28. PMID: 31698245.

Ryan MA, Leu GR, Upchurch PA, Tunkel DE, Walsh JM, Boss EF. Systemic Bevacizumab (Avastin) for Juvenile-Onset Recurrent Respiratory Papillomatosis: A Systematic Review. *Laryngoscope*. 2021 May;131(5):1138-1146. doi: 10.1002/lary.29084. Epub 2020 Sep 22. PMID: 32959914.

VF paralysis

Lichtenberger G Reversible lateralization of paralyzed vocal cords without tracheotomy. *Ann Otol Rhinol Laryngol* 2002;111:21-26.

Zur KB, Carroll LM. Recurrent laryngeal nerve reinnervation in children: Acoustic and endoscopic characteristics pre-intervention and post-intervention. A comparison of treatment options. *Laryngoscope* 2015;125:S1-S15.

Butskiy O, Mistry B, Chadha NK. Surgical interventions for pediatric unilateral vocal cord paralysis: A systematic review. *JAMA Otolaryngol Head Neck Surg* 2015;141(7):654-660.

Rutter MJ, Hart CK, Alarcon AD, Daniel SJ, Parikh SR, Balakrishnan K, et al. Endoscopic anterior-posterior cricoid split for pediatric bilateral vocal fold paralysis. *Laryngoscope* 2018;128(1):257-263.

Ongkasuwan J, Espinosa MCL, Hollas S, Devore D, Procter T, Bassett E, et al. Predictors of voice outcome in pediatric non-selective laryngeal reinnervation. *Laryngoscope* 2019.

Laryngeal cleft

Benjamin B, Inglis A. Minor congenital laryngeal clefts: Diagnosis and classification. *Ann Otol Rhinol Laryngol* 1989;98(6):417-420.

Reddy P, Byun YJ, Downs J, Nguyen SA, White DR. Presentation and management of type 1 laryngeal clefts: A systematic review and meta-analysis. *Int J Pediatr Otorhinolaryngol*. 2020 Nov;138:110370. doi: 10.1016/j.ijporl.2020.110370. Epub 2020 Sep 9. PMID: 33152963.

Timashpolsky A, Schild SD, Ballard DP, Leventer SP, Rosenfeld RM, Plum AW. Management of Type 1 Laryngeal Clefts: A Systematic Review and Meta-analysis. *Otolaryngol Head Neck Surg*. 2021 Mar;164(3):489-500. doi: 10.1177/0194599820947742. Epub 2020 Aug 18. PMID: 32807006.

Rahbar R, Chen JL, Rosen RL, Lowry KC, Simon DM, Perez JA, et al. Endoscopic repair of Laryngeal Cleft type I and type II: When and why? *Laryngoscope* 2009;119(9):1797-1802.

Cohen MS, Zhuang L, Simons JP, Chi DH, Maguire RC, Mehta DK. Injection laryngoplasty for type 1 laryngeal cleft in children. *Otolaryngol Head Neck Surg* 2011;144(5):789-793.

Yeung JC, Balakrishnan K, Cheng ATL, Daniel SJ, Garabedian E-, Hart CK, et al. International Pediatric Otolaryngology Group: Consensus guidelines on the diagnosis and management of type I laryngeal clefts. *Int J Pediatr Otorhinolaryngol* 2017;101:51-56.

Fracchia MS, Diercks G, Cook A, Hersh C, Hardy S, Hartnick M, Hartnick C. The diagnostic role of triple endoscopy in pediatric patients with chronic cough. *Int J Pediatr Otorhinolaryngol*. 2019 Jan;116:58-61. doi: 10.1016/j.ijporl.2018.10.017. Epub 2018 Oct 13. PMID: 30554708.

Hiebert JC, Zhao YD, Willis EB. Bronchoscopy findings in recurrent croup: A systematic review and meta-analysis. *Int J Pediatr Otorhinolaryngol*. 2016 Nov;90:86-90. doi: 10.1016/j.ijporl.2016.09.003. Epub 2016 Sep 5. PMID: 27729160.

Complete rings

Rutter MJ, Cotton RT, Azizkhan RG, Manning PB. Slide tracheoplasty for the management of complete tracheal rings. *J Pediatr Surg* 2003;38(6):928-934.

Elliot M, Hartley BE, Wallis C, et al. Slide tracheoplasty. *Curr Opin Otolaryng. Head Neck Surgery* 2008;16:75-82.

Tracheostomy

Carr MM, Poje CR, Kingston L, Kielma D, Heard C. Complications in pediatric tracheostomies. *Laryngoscope* 2001;111(11):1925-1928.

Liu C, Heffernan C, Saluja S, Yuan J, Paine M, Oyemwense N, et al. Indications, hospital course, and complexity of patients undergoing tracheostomy at a tertiary care pediatric hospital. *Otolaryngol Head Neck Surg* 2014;151(2):232-239.

McCormick ME, Ward E, Roberson DW, Shah RK, Stachler RJ, Brenner MJ. Life after tracheostomy: Patient and family perspectives on teaching, transitions, and multidisciplinary teams. *Otolaryngol Head Neck Surg* 2015;153(6):914-920.

Gergin O, Adil EA, Kawai K, Watters K, Moritz E, Rahbar R. Indications of pediatric tracheostomy over the last 30 years: Has anything changed? *Int J Pediatr Otorhinolaryngol* 2016;87:144-147.

Funamura JL, Yuen S, Kawai K, Gergin O, Adil E, Rahbar R, et al. Characterizing mortality in pediatric tracheostomy patients. *Laryngoscope* 2017;127(7):1701-1706.

Mitchell RB, Hussey HM, Setzen G, Jacobs IN, Nussenbaum B, Dawson C, Brown CA 3rd, Brandt C, Deakins K, Hartnick C, Merati A. Clinical consensus statement: tracheostomy care. *Otolaryngol Head Neck Surg*. 2013 Jan;148(1):6-20. doi: 10.1177/0194599812460376. Epub 2012 Sep 18. PMID: 22990518.

Kennedy A, Hart CK, de Alarcon A, Balakrishnan K, Boudewyns A, Chun R, Fayoux P, Goudy SL, Hartnick C, Hsu WC, Johnson RF, Kuo M, Peer S, Pransky SM, Rahbar R, Rickert S, Roy S, Russell J, Sandu K, Sidell DR, Smith RJ, Soma M, Spratley J, Thierry B, Thompson DM, Trozzi M, Watters K, White DR, Wyatt M, Zalzal GH, Zdanksi CJ, Zur KB, Rutter MJ. International Pediatric Otolaryngology Group (IPOG) management recommendations: Pediatric tracheostomy decannulation. *Int J Pediatr Otorhinolaryngol*. 2021 Feb;141:110565. doi: 10.1016/j.ijporl.2020.110565. Epub 2020 Dec 15. PMID: 33341719.

Doody J, Alkhateeb A, Balakrishnan K, Bedwell J, Carter J, Choi SS, Cheng AT, Daniel SJ, Dahl J, De Alarcon A, Fayoux P, Hart CK, Hartnick C, Jonas N, Kuo M, Mills N, Muntz H, Nicollas R, Pransky S, Nuss R, Propst EJ, Rahbar R, Rossi ME, Rutter MJ, Sandu K, Sidell DR, Sittel C, Smith RJH, Soma M, Spratley J, Thierry B, Thompson D, Watters K, Wine T, Wyatt M, Zalzal G, Zdanski CJ, Zur KB, Russell J. International Pediatric Otolaryngology Group (IPOG) consensus recommendations: Management of suprastomal collapse in the pediatric population. *Int J Pediatr Otorhinolaryngol*. 2020 Dec;139:110427. doi: 10.1016/j.ijporl.2020.110427. Epub 2020 Oct 13. PMID: 33120101.

Other

Shah RK, Roberson DW, Jones DT. Epiglottitis in the Hemophilus influenza Type B Vaccine Era: Changing Trends. *Laryngoscope*. 2004 114:557-560.

Miyamoto RC, Cotton RT, Rope AF, Hopkin RJ, Cohen AP, Shott SR, Rutter MJ. Association of anterior glottic webs with velocardiofacial syndrome (chromosome 22q11.2 deletion) *Otolaryngol Head Neck Surg*. 2004 Apr;130(4):415-7

Dyce O, McDonald-McGinn D, Kirschner RE et al. Otolaryngologic manifestations of 22 q 11.2 deletion syndrome. Arch Otolaryngol Head Neck Surg 2002;128:1408-1412.